



Citations for First Breath Materials

Last Update December 2023

First Breath Mini-Module: Addressing Prenatal Cannabis Use (published January 2024)

- Allen AM, Jung AM, Alexander AC, Allen SS, Ward KD, al'Absi M (2020). Cannabis use and stressful life events during the perinatal period: cross-sectional results from Pregnancy Risk Assessment Monitoring System (PRAMS) data, *Addict Abingdon Engl*, 115(9):1707-1716. doi:10.1111/add.15003
- Alshaarawy O, Vanderziel A. (2022). Trends and Characteristics of Prenatal Cannabis Use in the U.S., 2002-2019. *Am J Prev Med*,63(5):846-851. doi:10.1016/j.amepre.2022.04.027
- American College of Obstetricians and Gynecologists (2023). Marijuana Use During Pregnancy and Lactation. Accessed October 12, 2023. <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2017/10/marijuana-use-during-pregnancy-and-lactation>
- American Academy of Pediatrics (2018). Marijuana Use During Pregnancy and Breastfeeding: Implications for Neonatal and Childhood Outcomes. *Pediatrics*, 142(3):e20181889. doi:10.1542/peds.2018-1889
- American Society of Addiction Medicine (2023). Marijuana and Pregnancy. Accessed October 12, 2023. <https://www.samhsa.gov/marijuana/marijuana-pregnancy>
- Ayonrinde OT, Ayonrinde OA, Van Rooyen D (2021). Association between gestational cannabis exposure and maternal, perinatal, placental, and childhood outcomes. *J Dev Orig Health Dis*,12(5):694-703. doi:10.1017/S2040174420001166
- Baranger DAA, Paul SE, Colbert SMC (2022). Association of Mental Health Burden With Prenatal Cannabis Exposure From Childhood to Early Adolescence: Longitudinal Findings From the Adolescent Brain Cognitive Development (ABCD) Study. *JAMA Pediatr*, 176(12):1261-1265. doi:10.1001/jamapediatrics.2022.3191
- Barbosa-Leiker C, Burduli E, Smith CL, Brooks O, Orr M, Gartstein M (2020). Daily Cannabis Use During Pregnancy and Postpartum in a State With Legalized Recreational Cannabis. *J Addict Med*, 14(6):467-474. doi:10.1097/ADM.0000000000000625
- Conner SN, Bedell V, Lipsey K, Macones GA, Cahill AG, Tuuli MG (2016). Maternal marijuana use and adverse neonatal outcomes. *Obstet Gynecol*,128(4):713-723. <https://doi.org/10.1097/aog.0000000000001649>
- Crume T, Powers S, Dufford A, Kim P (2022). Cannabis and Pregnancy: Factors Associated with Cannabis Use Among Pregnant Women and the Consequences for Offspring Neurodevelopment and Early Postpartum Parenting Behavior. *Curr Addict Rep*, 9(3):195-202. doi:10.1007/s40429-022-00419-6
- English F, Greyson D (2002). "You still have that fear": Policy constraints on informed decision making about legalized cannabis use during pregnancy and lactation. *Int J Drug Policy*,106:103774. doi:10.1016/j.drugpo.2022.103774
- Gesterling L, Bradford H (2022). Cannabis Use in Pregnancy: A State of the Science Review. *J Midwifery Womens Health*, 67(3):305-313. doi:10.1111/jmwh.13293
- Goodwin RD, Zhu J, Heisler Z (2020). Cannabis use during pregnancy in the United States: The role of depression. *Drug Alcohol Depend*, 210:107881. doi:10.1016/j.drugalcdep.2020.107881
- Guttmacher Institute (2023). Substance Use During Pregnancy. Guttmacher Institute. Accessed October 12, 2023. <https://www.guttmacher.org/state-policy/explore/substance-use-during-pregnancy>
- Holland CL, Rubio D, Rodriguez K (2016). Obstetric Health Care Providers' Counseling Responses to Pregnant Patient Disclosures of Marijuana Use. *Obstet Gynecol*,27(4):681-687. doi:10.1097/AOG.0000000000001343
- Jarlenski M, Tarr JA, Holland CL, Farrell D, Chang JC (2016). Pregnant Women's Access to Information About Perinatal Marijuana Use: A Qualitative Study. *Womens Health Issues*, 26(4):452-459. doi:10.1016/j.whi.2016.03.010

- Kiel L, Hsu C, Wartko P, Albertson-Junkans L, Ewing J, Lapham G (2023). Perspectives from women who engaged in prenatal and postpartum cannabis use in a US State with legal non-medical use. *Prev Med Rep*, 31. doi:10.1016/j.pmedr.2022.102075
- Klasner C, Brown J, Gopalakrishnan M, Metwally DE, Besse M, Mark K (2022). Effect of maternal adverse childhood experiences (ACE) and cannabis use on pregnancy outcomes. *Arch Womens Ment Health*,25(6):1097-1104. doi:10.1007/s00737-022-01269
- Ko JY, Farr SL, Tong VT, Creanga AA, Callaghan WM (2015). Prevalence and patterns of marijuana use among pregnant and nonpregnant women of reproductive age. *Am J Obstet Gynecol*, 213(2):201.e1-201.e10. doi:10.1016/j.ajog.2015.03.021
- Ko JY, Coy KC, Haight SC (2017). Characteristics of Marijuana Use During Pregnancy - Eight States, Pregnancy Risk Assessment Monitoring System, MMWR Morb Mortal Wkly Rep. 2020;69(32):1058-1063. doi:10.15585/mmwr.mm6932a2
- Lo J, Shaw B, Robalino S (2022). The Effect of Maternal Cannabis Use on Perinatal Outcomes: A Systematic Review And Meta-Analysis. *Am J Obstet Gynecol*, 226(1):S476-S477. doi:10.1016/j.ajog.2021.11.788
- Mark K, Desai A, Terplan M (2016). Marijuana use and pregnancy: prevalence, associated characteristics, and birth outcomes. *Arch Womens Ment Health*, 19(1):105-111. doi:10.1007/s00737-015-0529-9
- Mark K, Gryczynski J, Axenfeld E, Schwartz RP, Terplan M (2017). Pregnant Women’s Current and Intended Cannabis Use in Relation to Their Views Toward Legalization and Knowledge of Potential Harm. *J Addict Med*,11(3):211. doi:10.1097/ADM.0000000000000299
- Mark K, Otieno L, Moore E, Zehra A, Mitchell M (2021). Association between continued cannabis use during pregnancy and symptoms of anxiety and depression. *Int Rev Psychiatry*, 33(6):528-533. doi:10.1080/09540261.2021.1898348
- McCoy L, Newman Carroll S, Walters K (2023). “It’s so Natural It Goes Hand in Hand”: A Qualitative Study of Maternal Perceptions of Cannabis Use during Pregnancy. *J Psychoactive Drugs*, 55(3):282-289. doi:10.1080/02791072.2022.2080615
- McKenzie LB, Keim SA, Klebanoff MA (2022). Risk Perceptions about Cannabis Use and Receipt of Health-Related Information during Pregnancy. *Am J Health Promot*, 36(8):1316-1325. doi:10.1177/08901171221099496
- Meinhofer A, Hinde JM, Keyes KM, Lugo-Candelas C (2022). Association of Comorbid Behavioral and Medical Conditions With Cannabis Use Disorder in Pregnancy. *JAMA Psychiatry*, 79(1):50-58. doi:10.1001/jamapsychiatry.2021.3193
- Metz TD, Stickrath EH (2015). Marijuana use in pregnancy and lactation: a review of the evidence. *Am J Obstet Gynecol*, 213(6):761-778. doi:10.1016/j.ajog.2015.05.025
- Metz TD, Allshouse AA, McMillin GA (2022). Association of Cannabis Use With Nausea and Vomiting of Pregnancy. *Obstet Gynecol*, 140(2):266-270. doi:10.1097/AOG.0000000000004850
- Nashed MG, Hardy DB, Laviolette SR (2021). Prenatal Cannabinoid Exposure: Emerging Evidence of Physiological and Neuropsychiatric Abnormalities. *Front Psychiatry*, 11:624275. doi:10.3389/fpsy.2020.624275
- National Academies of Sciences, Engineering, and Medicine (2017). *The Health Effects of Cannabis and Cannabinoids: The Current State of Evidence and Recommendations for Research*. National Academies Press; doi:10.17226/24625
- National Institute on Drug Abuse (2022). Cannabis Potency Data. Accessed September 13, 2023. <https://nida.nih.gov/research/research-data-measures-resources/cannabis-potency-data>
- Odom GC, Cottler LB, Striley CW, Lopez-Quintero C (2020). Perceived Risk of Weekly Cannabis Use, Past 30-Day Cannabis Use, and Frequency of Cannabis Use Among Pregnant Women in the United States. *Int J Womens Health*, 12:1075-1088. doi:10.2147/IJWH.S266540
- Office of the Surgeon General. (2019). U.S. Surgeon General’s Advisory: Marijuana Use and the Developing Brain. Accessed October 12, 2023. <https://www.hhs.gov/surgeongeneral/reports-and-publications/addiction-and-substance-misuse/advisory-on-marijuana-use-and-developing-brain/index.html>
- Pike CK, Sofis MJ, Budney AJ (2021). Correlates of continued cannabis use during pregnancy. *Drug Alcohol Depend*, 227:108939. doi:10.1016/j.drugalcdep.2021.108939
- Sood S, Trasande L, Mehta-Lee SS, Brubaker SG, Ghassabian A, Jacobson MH (2022). Maternal Cannabis Use in the Perinatal Period: Data From the Pregnancy Risk Assessment Monitoring System Marijuana Supplement, 2016–2018. *J Addict Med*, 16(4):e225-e233. doi:10.1097/ADM.0000000000000921

- Vadukapuram R, Chaudhari G, Trivedi C (2022). The Association of Psychological Stressors With Cannabis Use During Pregnancy: Findings From the National Survey on Drug Use and Health 2017-2019. *J Nerv Ment Dis*, 210(8):633-637. doi:10.1097/NMD.0000000000001507
- Volkow ND, Han B, Compton WM, Blanco C (2017). Marijuana Use During Stages of Pregnancy in the United States. *Ann Intern Med*, 166(10):763-764. doi:10.7326/L17-0067

First Breath New Provider Onboarding Training & Handouts (published July 2022)

- Alaniz K, Christiansen B, Sullivan T, Khalil L, Fiore MC (2019). Addressing Postpartum Smoking Relapse Among Low-Income Women: A Randomized Control Trial. *J Patient Cent Res Rev*, 28;6(4):233-242. doi: 10.17294/2330-0698.1702. PMID: 31768402; PMCID: PMC6827840.
- Baker TB, Fraser DL, Kobinsky K, Adsit R, Smith SS, Khalil L, Alaniz KM, Sullivan TE, Johnson ML, Fiore MC (2018). A randomized controlled trial of financial incentives to low income pregnant women to engage in smoking cessation treatment: Effects on post-birth abstinence. *J Consult Clin Psychol*, 86(5):464-473. doi: 10.1037/ccp0000278. Epub 2018 Feb 1. PMID: 29389142.
- Caputo C, Wood E, Jabbour L (2016). Impact of fetal alcohol exposure on body systems: a systematic review. *Birth Defects Res C Embryo Today*, 108:174–180
- Centers for Disease Control and Prevention (2020). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.
- Centers for Disease Control and Prevention (2015). Fetal Alcohol Syndrome Among Children Aged 7-9 Years – Arizona, Colorado, and New York. *MMWR Morb Mortal Wkly Rep*, 64(3):54-57.
- England LJ, Bennett C, Denny CH (2019). Alcohol Use and Co-Use of Other Substances Among Pregnant Females Aged 12–44 Years — United States, 2015–2018. *MMWR Morb Mortal Wkly Rep* 2020;69:1009–1014. DOI: <http://dx.doi.org/10.15585/mmwr.mm6931a1>
- Gosdin LK, Deputy NP, Kim SY, Dang EP, Denny CH (2022). Alcohol Consumption and Binge Drinking During Pregnancy Among Adults Aged 18–49 Years — the United States, 2018–2020. *MMWR Morb Mortal Wkly Rep*;71:10–13. DOI: <http://dx.doi.org/10.15585/mmwr.mm7101a2>
- Graves B, Johnson T, Nishida R (2020). Comprehensive characterization of mainstream marijuana and tobacco smoke. *Sci Rep*, 10, 7160.
- Gunn JR, Center K, Gibson S, Christ C (2017). Prenatal exposure to cannabis and maternal and child health outcomes: a systematic review and meta-analysis. *BMJ Open*, 6(4).
- Hamułka J, Zielińska MA, Chądzyńska K (2018). The combined effects of alcohol and tobacco use during pregnancy on birth outcomes. *Rocz Panstw Zakl Hig*, 69(1):45-54. PMID: 29517191.
- Ko J, Farr S, Tong V, Creanga A, & Callaghan W (2015). Prevalence and patterns of marijuana use among pregnant and nonpregnant women of reproductive age. *American Journal of Obstetrics and Gynecology*, 213(2): 201-e1.
- Ko JY, D’Angelo DV, Haight SC (2019). Vital Signs: Prescription Opioid Pain Reliever Use During Pregnancy — 34 U.S. Jurisdictions. *MMWR Morb Mortal Wkly Rep*, 69:897–903. DOI: <http://dx.doi.org/10.15585/mmwr.mm6928a1>
- May PA, Baete A, Russo J, Elliott AJ, Blankenship J, Kalberg WO, Buckley D, Brooks M, Hasken J, Abdul-Rahman O, Adam MP, Robinson LK, Manning M, Hoyme HE (2014). Prevalence and characteristics of fetal alcohol spectrum disorders. *Pediatrics*, 134(5), 855–866. <https://doi.org/10.1542/peds.2013-3319>
- May PA, Chambers CD, Kalberg WO, et al. (2018). Prevalence of Fetal Alcohol Spectrum Disorders in 4 US Communities. *JAMA*, 319(5):474–482. doi:10.1001/jama.2017.21896
- Mundt MP, Fiore MC, Piper ME, Adsit RT, Kobinsky KH, Alaniz KM, Baker TB. Cost-effectiveness of stop smoking incentives for medicaid-enrolled pregnant women. *Prev Med*. 2021 Aug 25;153:106777. doi: 10.1016/j.ypmed.2021.106777.
- National Center for Chronic Disease Prevention and Health Promotion (US) Office on Smoking and Health. (2014) The Health Consequences of Smoking—50 Years of Progress: A Report of the Surgeon General. Atlanta (GA): Centers for Disease Control and Prevention (US). Available from: <https://www.ncbi.nlm.nih.gov/books/NBK179276/>
- Qato, DM, Zhang, C, Gandhi, AB, Simoni-Wastila, L, Coleman-Cowger, VH (2020). Co-use of alcohol, tobacco, and licit and illicit controlled substances among pregnant and non-pregnant women in the United States: Findings

from 2006 to 2014 National Survey on Drug Use and Health (NSDUH) data. *Drug and Alcohol Dependence*, 206, 107729.

- Patrick SW, Barfield WD, Poindexter BB (2020). AAP Committee on Fetus and Newborn, Committee on Substance Use and Prevention. Neonatal Opioid Withdrawal Syndrome. *Pediatrics*, 146(5):e2020029074
- Roberts S, Pies C (2011). Complex calculations: how drug use during pregnancy becomes a barrier to prenatal care. *Matern Child Health J*, 15, 333.
- Substance Abuse and Mental Health Services Administration (2019). Key substance use and mental health indicators in the United States: Results from the 2018 National Survey on Drug Use and Health (HHS Publication No. PEP19-5068, NSDUH Series H-54). Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration.
- Sharapova S, Bedell V, Lispey K, Macones G, Cahill A, Tuuli M (2016). Effects of prenatal marijuana exposure on neuropsychological outcomes in children aged 1-11: A systematic review. *Paediatric & Perinatal Epidemiology*, 32(6):512-532.
- Stone R (2015). Pregnant women and substance use: fear, stigma, and barriers to care. *Health & Justice*, 3, 2. <https://doi.org/10.1186/s40352-015-0015-5>
- Venza I, Visalli M, Oteri R, Teti D, Venza M (2012). Combined effects of cigarette smoking and alcohol consumption on antioxidant/oxidant balance in age-related macular degeneration. *Aging Clinical & Experimental Research*, 24(5), 530–536. <https://doi.org/10.3275/8477>
- Williams JF, Smith VC (2015). Fetal alcohol spectrum disorders. *Pediatrics*. 2015;136(5):e1395–e1406. doi: 10.1542/peds.2015-3113.
- Wisconsin Department of Health Services (2022). Wisconsin Pregnancy Risk Assessment Monitoring System 2018-2019. Retrieved from <https://www.dhs.wisconsin.gov/stats/prams/index.htm>.
- Wisconsin Department of Health Services (2020). Wisconsin Interactive Statistics on Health System (WISH), Birth Certificate Data, 2020. Retrieved from <https://www.dhs.wisconsin.gov/wish/birth/index.htm>
- Yaesoubi R, Mahin M, Martin G, Paltiel AD, Sharifi M (2022). Reducing the Prevalence of Alcohol-Exposed Pregnancies in the United States: A Simulation Modeling Study. *Medical Decision Making*, 42(2), 217–227. <https://doi.org/10.1177/0272989X21102320>

General Sources

- American Academy of Pediatrics (APA) www.aap.org
- American College of Obstetricians and Gynecologists (ACOG) www.acog.org
- Centers for Disease Control and Prevention (CDC) www.cdc.gov
- MotherToBaby, a service of the Organization of Teratology Information Specialists (OTIS) www.mothersbaby.org
- Substance Abuse and Mental Health Services Administration www.samhsa.gov
- Treating Tobacco Use and Dependence: 2008 Update. Agency for Healthcare Research and Quality, Rockville, MD. www.ahrq.gov/prevention/guidelines/tobacco/index